

Vintago

Natural authentic, lively and
unique look

**SWISS
pearl®**



Vintago

New surface features – vibrancy through structure

The mineral material of fiber cement combined with a sanded surface gives Vintago a natural authentic, lively and unique look.

The sanding process using a coarse grit produces a natural, raw surface that highlights the original purity of the fiber cement panels. In an interplay between light and shadow, characteristic irregularities and nuances in tone accentuate the uniqueness of each product.

With respect for the environment

Throughout the product life cycle, we are conscious of our responsibility towards the environment and act accordingly. Our fiber cement is made by more than 95 % of natural raw materials from the Swiss mountains. This helps to protect valuable natural resources eliminate unnecessary distance in transportation of materials.

Our material is recyclable and can be reused at any time; its long lifetime enhances both the ecological and economic value of any building envelope.

Learn more

Visit our website to learn more about Vintago. We would be happy to send you a product sample or arrange a one-on-one consultation with you.

+41 55 617 11 60 | info@swisspearl.com | www.swisspearl.com



Wide range of design possibilities

Design, color and formats

Vintago is a through colored fiber cement panel. Selection of size, cut and color offers a full range of combinations. This gives both the exterior and interior of a building a multifaceted and esthetically beautiful look.

The large-format Vintago panels offer architects and builders numerous benefits and special features.



Product specifications

Panel size

Vintago is available in the format Largo. The maximum useable finished panel size of 3050 × 1250 × 8 mm can be cut as required.

Anti-graffiti coating & color durability

Our high resistance (HR) surface coating protects the panels against especially heavy staining and graffiti, giving a building a consistent look that lasts.

Wherever Vintago is used on a building, the color durability of our material means the appearance is stable for a long time. This is ensured by using a high tech coating that gives Vintago outstanding weather resistance and excellent protection against staining. The coating contains no formaldehyde or plasticizers.

Colors

The Vintago color spectrum includes 10 compatible tones ranging from onyx to black opal. These can be combined for wide variety of composition options.

Installation

Vintago is easy to use and can be installed as either flush or lapped cladding. It can be mounted by using either visible or concealed fasteners. Refer to our Swisspearl Largo and Linearis Design & Installation Manual (DIM).

Fire classification

A2-s1, d0

Environmental certifications / Norms

Environmental Product Declaration according to ISO 14025 and EN 15804

Swisspearl
CH-8867 Niederurnen
T: +41 55 617 1160
info@swisspearl.com

www.swisspearl.com

Member of the
Swisspearl Group

